

BINKS

PRODUCT CATALOG

Spray Booth and Safety Products



Our Latest **Innovative**
Product Line



Table of Contents

Overview2

Filters 3-4

Floor & Wall Covering.....5

Liners6

Respirators7

Paint Suits & Clean Products8

Clean Prep9

Strainers & Accessories 10

CleanAir™ Filters 11

Accessories12-13

Disposable Cup System 14-15



Toll Free Customer Support and Technical Assistance
800-992-4657 USA & Canada Only

Toll Free Fax
888-246-5732 USA & Canada Only

MSDS sheets are available on the web
www.binks.com

Binks pioneered the development of liquid spray finishing technology over 100 years ago and continues to set the standard for industrial spray finishing.

Our Binks team of experts-engineers, designers, technicians and customer service group-are constantly working to bring you the Quality, Efficiency, Performance and Value you expect from the world's premier spray finishing equipment company.



Warning: Never spray different types of materials into the same filter. Spraying different coating types into the same filter and mishandling used filters can result in self-ignition of the filter material. Refer to consensus fire safety standards such as NFPA33, local fire safety codes and coating manufacturers regarding proper handling and disposal of used filters. Binks assumes no responsibility for damages caused by improper filter use.

When disposing of filters, place in a water-filled metal container and dispose of at the close of the day's operation or until such time that the disposal of the filters can be properly administered.

For plant and personnel protection, use and dispose of filters in accordance with NFPA33, OSHA 1910.107, EPA regulations, and any city, state or area code.

CAUTION Disposal Instructions

Discard used Paint Arrestors the same as any paint-impregnated waste material. Store used Paint Arrestors in water-filled container until disposal of. Some paint residues are considered hazardous and disposal must be in accordance with EPA regulations 40CFR Parts 260-262 and other pertinent regulations.

CAUTION Use Instructions

For plant and personnel protection, booths, guns and procedures should comply with NFPA Standard No. 33, OSHA Regulation 1910.07, appropriate EPA regulations and any city or state codes.



All use and disposal of this media must be conducted in accordance with the requirements of all applicable Federal, State and Local environmental, fire protection and workplace safety laws and regulations, such as EPA Regulations 40CFR Parts 260-262. Store used Paint Arrestors in water-filled containers until disposed of.



Avoid exposure to open flame, stacking against exposed incandescent bulbs, or direct contact with burning, smoking material or welded sparks.



Exhaust Filters

RECEPTOR™ Filters

HIGH EFFICIENCY SPRAY BOOTH OVER-SPRAY FILTERS



The better, eco-friendly filter made with recycled soda bottles

Superior paint holding capacity that rivals the efficiency of higher priced filters

■ **Dual-capture construction in a stronger one-piece design**

- First capture layer (white collects overspray).
- Second capture layer (green) is engineered for high efficiency. Traps more coatings in the filter, preventing materials from entering downstream air system.
- Inline one-piece design provides higher strength when fully loaded.

■ **Reduces operating costs**

- More overspray holding capacity than many high efficiency filters. Fewer changes means less filters needed.
- High efficiency for less downstream contamination and less stack cleaning.
- More consistent static pressure drop increases coating mileage, lowering coating costs.
- Substantially cuts particulate emissions and reduces spontaneous ignition risk.

■ **User friendly**

- White capture layer is made from virgin high loft polyester and reflects light within booth.
- Polyester media allows for quick and easy change out and does not irritate workers' skin.
- Sold in blankets and pads compatible with most spray booth filter retaining systems (frame, spike and compression).

■ **Compatible with most industrial coatings**

- Compatible for almost all sprayed industrial coatings including:
 - Thermosets, solvent based and water-based (low, medium and high solids)
 - Air dry coatings, solvent based and water-based (low, medium and high solids)
 - Plural component coatings
 - Rapid dry coatings
 - UV and radiation-cured coatings
 - Industrial adhesives
 - Fiber-filled resins and bituminous coatings

PART NO.	DESCRIPTION	SIZE	SHIPPING WEIGHT*
29-3111	Receptor Filter Pad - 25/Case	20" x 20" x 2"	10.00 lbs.
29-3112	Receptor Filter Pad - 25/Case	20" x 25" x 2"	13.00 lbs.
29-3105	Receptor Filter Blanket	24" x 50' x 2"	11.25 lbs.
29-3107	Receptor Filter Blanket	36" x 50' x 2"	16.88 lbs.
29-3109	Receptor Filter Blanket	45" x 50' x 2"	21.09 lbs.
29-3110	Receptor Filter Blanket	48" x 50' x 2"	22.50 lbs.

* Shipping weights approximate

TECHNICAL DATA:

AVERAGE ARRESTANCE EFFICIENCY: 98.67% at 150 FPM

AVERAGE FILTER DEPTH: 2"

FLAMMABILITY RATING: UL900, Class II

TYPICAL OVERSPRAY HOLDING CAPACITY: 2070 grams (4.5 lbs) / sq ft

RECOMMENDED AVERAGE AIR VELOCITY: 150 FPM

NOMINAL PRESSURE DROP @150 FPM WITH CLEAN FILTER: 0.05 inch W.C.

FINAL PRESSURE DROP WITH LOADED FILTER: 0.35 inch W.C.



Exhaust Filters

AF-HE

spray booth filter

EFFICIENCY 99.8%



AF-HE Blanket

- 3-5 times more overspray holding capacity than many high efficiency filters
- Ideal for virtually all spray applied industrial coatings
- Configurations compatible with most booths
- User and environmentally friendly
- Good application for spraying:
 - Air-dry enamels
 - Bake-dry enamels
 - Air-dry primers

PART NO.	DESCRIPTION	SIZE	QTY.	SHIPPING WEIGHT*
29-2189	AF-HE Blanket	3' x 30'	1	21.00 lbs.

Exhaust Filters

Paint Arrestor Filters



- Slit and expanded paper designs
- Economically handles all overspray requirements
- Larger openings on intake side than exhaust side
- Depth loading for maximum service life
- Media does not irritate workers
- Quicker filter changes
- Superior 6 layer construction
- **98.94% EFFICIENT**

PART NO.	DESCRIPTION	QTY.	SHIPPING WEIGHT*
29-158	20" x 25" Pads	70/Case	16.00 lbs.
29-159	20" x 20" Pads	70/Case	13.00 lbs.

Exhaust Filters

AF Filter™

- Reduces operating costs
- Ideal for virtually all spray applied industrial coatings
- Configurations compatible with most booths
- User and environmentally friendly
- **98.1% EFFICIENT**
- Good application for spraying:
 - Adhesives
 - Clear coats
 - Epoxies
 - Fiberglass / gel coat
 - Frit
 - High solids enamels
 - Sealers
 - Stains
 - Urethanes



PART NO.	DESCRIPTION	SIZE	QTY.	SHIPPING WEIGHT*
29-2186-3	AF Paper Filter	3' x 30'	3	63.00 lbs.

Intake Filters

Tight-Seal™ Intake Filter

TACKY INTAKE FILTER PANELS FOR MIXING ROOMS AND CROSS-DRAFT AND SEMI-DOWNDRAFT SPRAY BOOTHS.



- Two-ply panel, nominal 1" thickness
- Tacky pressure sensitive adhesive
- Polyester media securely sealed around an internal grid
- Wire grid reinforced with two cross wire supports
- Four internal parallel heat-seals to eliminate filter fluttering

PART NO.	DESCRIPTION	SIZE	QTY.	SHIPPING WEIGHT*
29-486	Intake Filter	20" x 20" x 1"	20/Case	15.00 lbs.



Peelable Spray Booth Coating

Booth Coat™

- Sprays Easily
 - Booth Coat sprays easily using airless, HVLP, or conventional spray application.
- Dries Quickly
 - Booth Coat dries quickly, forming a removable barrier in minutes. Clean up with soap and water. No solvent is required.
- Strips Easily
 - Booth Coat's tough, yet flexible film, enables it to strip easily from a wide array of surfaces including wet, dry, and powder spray booth surfaces.
- See-Through Clarity
 - Booth Coat Clear's see-through clarity provides maximum light transmission in the spray booth. For spray booth lights and windows.
- Bright White
 - Booth Coat White's bright color improves illumination and worker efficiency in the spray booth. For spray booth walls.
- Environmentally Friendly
 - Booth Coat meets EPA and OSHA requirements for low solvent emission, and safety in the workplace.
- Additional Feature: Masking
 - Booth Coat can be used as a masking coating to provide temporary protection for metal and plastic surfaces during manufacturing, shipment or storage.



Spray Booth Floor Paper

Flame-A-Guard III™ Flame Retardant Paper



- Compliant with NFPA 33
- Provides quick, economical compliance with OSHA requirements
 - OSHA REG. NO. 1910.107(b)(3) "Floors."
 The floor surface of a spray booth and operator's working area, shall be covered with noncombustible material as to facilitate the safe cleaning and removal of residues.
- White – improves booth visibility
- Paper will char but will not propagate flame
- Allows fast and easy booth clean-up – no scraping, stripping or scrubbing
- Lint free
- MSDS available on www.binks.com
- Eliminates tracking paint from spray booth to other plant areas
- Rolls are individually boxed for easy storage and shipping
- Increases plant efficiency and reduces clean-up and shutdown costs

PART NO.	DESCRIPTION	COVERAGE	SHIPPING WEIGHT*
29-248	7" x 8" (Dia. x Ht.) 1-gal. Can; Dries Clear - (Glass)	100-175 ft ²	10 lbs.
29-249	12" x 15" (Dia. x Ht.) 5-gal. Pail; Dries White - (Walls)	500-800 ft ²	51 lbs.
29-249-55	55-gal Drum Pail; Dries White	5,500-8,800 ft ²	561 lbs.

	PART NO.	DESCRIPTION	SHIPPING WEIGHT*
70 LB. Foot Traffic	29-843	White, 36" x 500'	45 lbs.
	29-844	White, 72" x 500'	90 lbs.

80 LB. Heavier Traffic	29-863	White, 36" x 300'	26 lbs.
	29-864	White, 42" x 300'	34 lbs.
	29-865	White, 60" x 300'	54 lbs.
	29-866	White, 72" x 300'	66 lbs.

100 LB. Fork Lift Traffic	29-872	White, 36" x 300'	41 lbs.
	29-875	White, 42" x 300'	44 lbs.
	29-873	White, 60" x 300'	64 lbs.
	29-874	White, 72" x 300'	79 lbs.



Pressure Tank Liners

Disposable Liners

- Disposable anti-static polyethylene liners
- Seamless, vacuum-formed pail liners have a contoured lip that snaps over a pail's top bead to prevent leakage between the pail liner and the pail wall



PART NO.	SIZE	TANK SERIES	QTY.	LINER DIA.	LINER HT.	LINER WT.	SHELL INSIDE DIA.
Liners for 2-qt. SG-2 Cups							
80-356	2-qt.	80-350/80-351, 80-451, 80-600, 80-601, 80-651	12	6"	6 1/4"	1-oz.	5.9"
Liners for A.S.M.E. Stainless Steel Pressure Tanks							
6-238-60	2-gal.	83-156XX, 183S & 183G Series	60	9"	10 3/4"	3-oz.	9"
PT-78-K10	2.8 gal.	83Z-2XX, 83S-2XX, QMST-52XX*, 183S & 183G Series	10	9 1/4"	9 1/2"	3-oz.	9 1/2"
PT-78-K60	2.8 gal.	83Z-2XX, 83S-2XX, QMST-52XX*, 183S & 183G Series	60	9 1/4"	9 1/2"	3-oz.	9 1/2"
6-277	5-gal.	83-154XX, 183S & 183G Series	15	13 9/16"	15 3/4"	9.8-oz.	14"
6-278	10-gal.	83-153XX, 183S & 183G Series	12	14"	19 1/2"	10-oz.	14"
PTL-408-K20	9.8 gal.	83S-5XX, QMST-55XX*, 183S & 183G Series	20	13 9/16"	15 3/4"	9.8-oz.	14"
PTL-412-K8	11.8 gal.	83S-10XX, QMST-510XX*, 183S & 183G Series	8	13 1/2"	18 5/8"	10-oz.	14"
PTL-415-K10	19.8 gal.	83S-15XX, QMST-515XX*, 183S & 183G Series	10	13 11/16"	27 9/16"	16-oz.	14"
Liners for A.S.M.E. Galvanized (Zinc-Plated) Steel Pressure Tanks							
6-238-60	2-gal.	83-156XX, 183S & 183G Series	60	9"	10 3/4"	3-oz.	9"
PT-78-K10	2.8 gal.	83Z-2XX, 83S-2XX, QMST-52XX*, 183S & 183G Series	10	9 1/4"	9 1/2"	3-oz.	9 1/2"
PT-78-K60	2.8 gal.	83Z-2XX, 83S-2XX, QMST-52XX*, 183S & 183G Series	60	9 1/4"	9 1/2"	3-oz.	9 1/2"
6-239	5-gal.	83-54XX, 183S & 183G Series	24	11 15/16"	15 3/4"	6.3-oz.	12"
6-240	10-gal.	83-53XX, 183S & 183G Series	12	13 5/8"	21"	10.5-oz.	14"
PTL-408-K20	9.8 gal.	83S-5XX, QMST-55XX*, 183S & 183G Series	20	13 9/16"	15 3/4"	9.8-oz.	14"
PTL-412-K8	11.8 gal.	83S-10XX, QMST-510XX*, 183S & 183G Series	8	13 1/2"	18 5/8"	10-oz.	14"
PTL-415-K10	19.8 gal.	83S-15XX, QMST-515XX*, 183S & 183G Series	10	13 11/16"	27 9/16"	16-oz.	14"
Liners for PT Series Steel Pressure Tanks							
PT-78-K10	2.8 gal.	PT-Series*	10	9 1/4"	9 1/2"	3-oz.	9 1/2"
PT-78-K60	2.8 gal.	PT-Series*	60	9 1/4"	9 1/2"	3-oz.	9 1/2"
Liners for PT Series Steel Pressure Tanks							
PL-5GAL-K40	5 gal.	Pail	40	11 1/4"	13"	4.5-oz.	11 1/2"

Most common liners in Red

*Note: QMGT, QMST & PT Series tanks are no longer available for purchase



Respirators: Cartridge

Respirators: Disposable

Millennium 3000



- Adjustable, heavy-duty straps and head band
- Superior protection against organic vapors, fumes, dust and mists
- Heavy-duty silicone and metal face-piece for increased durability and comfort
- Maximum serviceability – fully serviceable with a Binks Tune-Up Kit
- Extended life – withstands repeated cleanings and exposure to paints and solvents without deterioration
- Meets 42 CFR Part B4 Standards

Champion™ Disposable Cartridge Respirator

OV/N95 DUAL CARTRIDGE RESPIRATOR



- Soft, comfortable face piece
- Low-profile cartridges enhance visibility
- Packaged in resealable storage bag



PART NO.	DESCRIPTION	PACKAGE QTY.
40-141	Millennium 3000 – Small (Black)	1 Per Clam Shell
40-128	Millennium 3000 – Medium (Silver)	1 Per Clam Shell
40-143	Millennium 3000 – Large (Gold)	1 Per Clam Shell
40-1921*	Millennium 3000 – Filter Cartridge, Organic Vapor	2 Per Blister Card, 10 Blister Cards Per Case
40-1924*	Millennium 3000 – Pre-Filter, Oil Resistant	10 Per Blister Card, 10 Blister Cards Per Case
40-1925	Millennium 3000 – Filter Cartridge Covers	2 Per Blister Card
40-1928	Millennium 3000 – Tune-Up Kit	1 Per Poly Bag

* Filter cartridges and Pre-Filters are also available in cases of 10 blister card packs

PART NO.	DESCRIPTION	PACKAGE QTY.
803611	DCR-502 Medium	1/bag-12/cs
803612	DCR-503 Large	1/bag-12/cs
803728	DCR-101-K3	3 pair replacement N95 Filters



Paint Suits: Disposable

Disposable Coverall

- Recommended for protection against paint overspray
- Lightweight and comfortable
- Full zipper front and full pullover hood
- Meets OSHA 1910.132 for protective clothing




PART NO.	QTY.	SIZE
803671	12/cs	Medium
803672	12/cs	Large
803673	12/cs	XL
803674	12/cs	3XL

Dirt Control

Dirt Control Floor Coat

Traps airborne particulates caused by increased air movement necessary for drying waterborne paints

- Shops observe a reduction of airborne particles in spray booth of up to 50%
- Neutralizes particles electrical charge so they stick to the floor, not the painted part



PART NO.	DESCRIPTION
803491	Dirt Control Floor Coat 5-gal pail
803492	Pump Sprayer
29-3160	5-gallon pail & Pump Sprayer

Paint Suits: Reusable

Reusable Coverall

Keeps both painter and spray booth cleaner

- Lightweight durable nylon front
- Breathable cool cotton back
- Washable/Reusable



PART NO.	QTY.	SIZE
803596	6/cs	Medium
803597	6/cs	Large
803598	6/cs	XL
803599	6/cs	3XL

Reusable Lab Coat

Contributes to clean prep practices

- Lightweight durable nylon
- 3-pocket design
- Washable/Reusable



PART NO.	QTY.	SIZE
803664	6/cs	Medium
803665	6/cs	Large
803666	6/cs	XL
803667	6/cs	3XL

Disposable Floor Mat

Disposable Paint Booth Matting

- Removes dust and dirt from shoes to reduce contamination in paint booth
- 30 disposable layers are easy to peel off and dispose



PART NO.	SIZE	QTY.	SHEETS PER MAT
29-3161	36" x 18"	4/case	30
29-3162	45" x 24"	4/case	30



Pre-Paint Surfaces - Cleaning

Paint Prep Wipe

Pre-clean prep wipe

- Strong, absorbent, virtually lint-free non-woven wipe
- For use with water-based and solvent-based surface pre-cleaners
- Production oriented ¼ fold format



PART NO.	QTY.
803657	300 ct dispenser box

Pre-Paint Surfaces - Tacking

Tack Wipe

Removes lint and fine particulates from refinish surfaces

- Solvent and waterborne compatible
- Soft cotton mesh material contours to surfaces
- Wax and silicone free



PART NO.	DESCRIPTION/QTY.
803816	Moderate Tack: Cotton Individually bagged 12/bx

Pre-Paint - Decontamination

DeWipe-Outs™

Pre-saturated wipes for contaminant-free primed surfaces

- OEM process for final decontamination
- Eliminates static that attracts dirt
- Ideal for paintable surfaces, plastic parts and bumper covers



PART NO.	DESCRIPTION	QTY.
803045	85% IPA/15% DI Water – Normal Climates Formula	50 wipes/pouch
803046	50% IPA/50% DI Water – Dry Climates Formula	50 wipes/pouch
803418	Acetone Blend – Low VOC Formula	50 wipes/pouch

DeWipe-Outs™ Refill Case

PART NO.	Description
803048	Sealed container keeps DeWipe-Outs saturated and ready to use

Intercoat Surfaces

Anti-Static Wipe

Treated wipe eliminates static between refinish coats

- Removes contaminants between coats of sealer, basecoat and before clear
- Helps reduce orange peel and improve metallic orientation
- Non-marring, lint-free and reusable



PART NO.	DESCRIPTION/QTY.
803553	Individually bagged 12/cs



Tank & Pail Strainers

Tank & Pail Strainers

PROSPECTOR™



Tank Strainers

- Disposable, drop-in quick screen
- Saves time over current methods of straining paint
- Helps eliminate foreign objects clogging the fluid nozzle
- Protects against costly paint defects
- Anti-Static: Meets NFPA 99 requirements



PART NO.	DESCRIPTION	MESH SIZE	PAIL SIZE
PTS-2Gal-K20-200	2-gal. Tank Strainer - 200 Micron	65 Wire Mesh	2-gal.
PTS-2Gal-K20-400	2-gal. Tank Strainer - 400 Micron	37 Wire Mesh	2-gal.
PTS-2Gal-K20-600	2-gal. Tank Strainer - 600 Micron	28 Wire Mesh	2-gal.
PTS-5Gal-K20-200	Tank Strainer - 200 Micron	65 Wire Mesh	5-gal., 10-gal. or 15-gal.
PTS-5Gal-K20-400	Tank Strainer - 400 Micron	37 Wire Mesh	5-gal., 10-gal. or 15-gal.
PTS-5Gal-K20-600	Tank Strainer - 600 Micron	28 Wire Mesh	5-gal., 10-gal. or 15-gal.

"Strain-It" Cup Strainer



- Fits all spray gun cups

PART NO.	DESCRIPTION	MESH SIZE-COLOR
2Gal-81-82	Super Fine: Removes Lint and Particles	145 Wire Mesh - White
81-83	Fine: For Primers and More Viscous Materials	100 Wire Mesh - Blue
81-84	Medium: For Heavy Materials	80 Wire Mesh - Red

Paint Strainer

Fluid Pick-Up Tube Paint Strainer

- Final strainer for air atomized spray gun cups
- 50 mesh brass filter screen
- Can be used on all enamels and lacquers
- Holds firmly on all siphon tubes up to 7/16" dia.



PART NO.	DESCRIPTION	QTY.	SHIPPING WEIGHT
149-278	Fluid Pick-Up Tube Paint Strainer 50 Mesh, Brass with Polyethylene Gasket	10/Box	1.00 lbs.

Y-Strainer

Low Pressure In-Line Fluid Filter

- Nickel plated body and stainless steel element screen for solvent or waterborne materials
- Ideally suited for use on pressure tank or diaphragm pump outlet



PART NO.	DESCRIPTION	S.S. ELEMENT SCREEN
83-2922	50 mesh, 297 microns	83-2089
83-2923	80 mesh, 177 microns	83-2596
83-2924	100 mesh, 149 microns	83-1256
83-2925	150 mesh, 96 microns	83-2405
83-2926	200 mesh, 74 microns	83-2706

PROSPECTOR™



Pail Strainers

- For universal, straight-sided pails
- Inner Diameter: 11" (279.40 mm)
- Outer Diameter: 15.375" (390.52 mm)
- Height/Depth: 3.75" (95.25 mm)
- Anti-Static: Meets NFPA 99 requirements



PART NO.	DESCRIPTION	MESH SIZE	PAIL SIZE
PS-5Gal-K20-200	5-gal. Pail Strainer - 200 Micron	65 Wire Mesh	5-gal.
PS-5Gal-K20-400	5-gal. Pail Strainer - 400 Micron	37 Wire Mesh	5-gal.
PS-5Gal-K20-600	5-gal. Pail Strainer - 600 Micron	28 Wire Mesh	5-gal.



CleanAir™ Three-Stage Desiccant Units



DAD-500

DAD-500 provides the ultimate in clean dry air.

- First stage centrifugal filter removes particles to 5 microns.
- Stage two coalesce filters down to 0.01 micron.
- Third stage desiccant removed remain water vapor
- Coalescer filter includes filter change indicator
- Desiccant filter includes sight glass indicator that changes color when desiccant needs replacement

PART NO.	DESCRIPTION
DAD-500	3 Stage Desiccant Air Dryer

Centrifugal Filter/Regulator

- Excellent for eliminating moisture and dirt from an air supply
- DeVilbiss Clean Air centrifugal units supply cleaner, drier air to each spray gun in a system. This cleaner air can also increase the life of pneumatic tools.
- Filters out water and oil aerosols and dirt particles to 5 microns
- Ideal for most spray applications, air tools and equipment
- Water droplets collected in the bowl are removed by an automatic drain (standard feature)- no need to manually drain



HFRL-511

Part Number	HFRL-508	HFRL-509	HFRL-511
Flow Rate (CFM)	60+	80+	120+
Inlet Port Size	1/2" npt (f)	3/4" npt (f)	3/4" npt (f)
Regulated Outlets	(1) 1/4" nps (m)	(2) 1/4" nps (m)	(4) 1/4" nps (m)
Non-Regulated Outlets	(1) 1/4" nps (m)	(1) 1/4" nps (m)	(1) 1/4" nps (m)

FRC-650 All-In-One Unit

- Combines a filter, regulator and coalesce for shop air into one compact unit
- Automatic drains at each stage eliminate water build up-no need to manually drain
- Four 1/4" nps(m) ball valves with unrestricted air passages



FRC-650

PART NO.	DESCRIPTION
FRC-650	All in One-Filter, Regulator, Coalesce



Spray Gun Lubricant

Gunner's Mate Lubricant

- All purpose lubricant
- Can be used on virtually all spray finishing equipment



PART NO.	DESCRIPTION	QTY.	SHIPPING WEIGHT
6-429	Gunner's Mate Spray Gun Lubricant – 2-oz. Bottle	20/ Case	5.00 lbs.

Spray Gun Covers

- Works with most manual hand spray guns
- Keeps overspray off of gun and operator
- Opaque white poly material



PART NO.	DESCRIPTION	QTY.
GC-100-K4	Spray Gun Covers	4/Kit
GC-100-K48	Spray Gun Covers	48/Kit

Wet Film Gauge

- Precision formed in aluminum to be long-lasting and reusable
- Measure up to a maximum thickness of 80 mils



PART NO.	DESCRIPTION
237-707	Wet Film Gauge

Air Filter

Whirlwind™ In-Line Air Filter

- Avoid costly reworks
- Removes water, oil and debris from the air line
- The best break-resistant in-line available for spray guns and air tools
- Powerful protection against filtration flaws
- Mounts on spray gun or air tool air inlet



PART NO.	DESCRIPTION	QTY.	SHIPPING WEIGHT
HAF-507-K12	Whirlwind™ In-Line Air Filter	12/Box	2.00 lbs.

Spray Gun Lubricant

Spray Gun Lubricant

- Used for wear points and needle packings and is compatible with most coatings
- Non silicone base
- For all gun brands



PART NO.	DESCRIPTION	QTY.
SSL-10-K12	Spray Gun Lubricant – 2-oz. Bottle	12/Case

Gun Hooks

- Works with most spray guns
- Mount on spray booth, workbench or wall




PART NO.	DESCRIPTION
192219	Vinyl Coated Gun Hook Assembly



Air & Fluid Hoses

Premium Spray Finishing Air Hose (Smooth Cover)

- Avoid costly reworks
- Removes water, oil and debris from the air line
- The best break-resistant in-line available for spray guns and air tools
- Powerful protection against filtration flaws
- Mounts on spray gun or air tool air inlet



Part Number	ID	OD	Length	Connection Part Number
71-10000	1/4"	1/2"	500'	72-1303
71-11000	5/16"	5/8"	500'	72-1317
71-12000	3/8"	11/16"	500'	72-1325
71-31000	3/8"	.646"	500'	72-1325

Air Hose Assemblies

Part Number	Hose Bulk Number	Size	Length
71-1205	71-11000	5/16" ID X 5/8" OD	25'
71-1206	71-11000	5/16" ID X 5/8" OD	50'
71-1355	71-12000	3/8" ID X 11/16" OD	25'
71-1356	71-12000	3/8" ID X 11/16" OD	50'

Scrubs

Scrubs Hand Cleaner Towels

Easily removes soil from your hands anywhere you're working and leaves them clean.


- Deep cleaning scrubbers remove embedded soils easily
- Portable and convenient
- One step cleaning process
- Will not re-transfer soils onto hands
- Conditions and softens hands



PART NO.	DESCRIPTION	SIZE
29-3100-K6	Scrubs-in-a-Bucket (72 Scrubs per Bucket)	6 Buckets/ Box

Fluidall Fluid Hose (Nylon Lined, Maximum Versatility)

- Nylon tube with high tensile synthetic braid
- Ideal for use for resins and solvents and also compatible with oil and water based coatings



Part Number	ID	OD	Length	Connection Part Number
71-280	1/4"	1/2"	500'	72-1306
71-282	3/8"	11/16"	500'	72-1328
71-283	1/2"	7/8"	500'	72-1334

Fluid Hose Assemblies

Part Number	Hose Bulk Number	Size	Length
71-3303	71-282	3/8" ID X 11/16" OD	25'
71-3304	71-282	3/8" ID X 11/16" OD	50'
71-3403	71-283	1/2" ID X 7/8" OD	25'
71-3404	71-282	1/2" ID X 7/8" OD	50'

Gun Cleaning Kit

Kit Contents:

- 1/2" Bottle Brush
- Black Handled Brush
- 3/16" End Brush
- 3 Piece Mini Brush Set
- Pick Tool
- Tool Handle
- Cleaning Wires (Qty. 6)



PART NO.	DESCRIPTION
192212	Professional Spray Gun Cleaning Kit




DeVilbiss DeKups® Disposable Cup System




HOW DOES IT WORK?


ASSEMBLY



SHAKING



REFILLS



INCREASE PRODUCTIVITY & EFFICIENCY

- **Less Cleaning**
 - Easy disposal vs. traditional gravity cups that require significant cleaning time and solvent use
- **Reduces Steps**
 - Mix and spray with one cup. Multiple filter options reduce the need to strain paint
- **Clean Paint Jobs**
 - Sealed, contamination-free system
- **Coatings**
 - Works with a wide variety of coatings
- **Safety**
 - Less exposure to cleaning solvents and VOC's
- **Storage**
 - Temporarily store unused paint between coatings therefore reducing paint waste


DESIGNED FOR DURABILITY & PERFORMANCE

- **Liner Collapses Evenly** Liner system provides superior fluid flow, color match, and less over mixing. Spray at any angle including upside down.
- **Multiple Filter Options** Choose the right filter for your job. Barrel filters offer additional savings, while disc filters provide sizable filtration for superior fluid flow of waterborne paints.
- **Positive Locking Connection** Non-threaded easy on and off design allows for a tight and secure connection. Adapters available for virtually all guns.
- **Self-Dispensing Packaging Mount.** Dispense. Discard. Conveniently packaged for production shops.



Disposable Cup System

DeVilbiss DeKups® Disposable Cup System



CUP SYSTEMS		
PART NO.	DESCRIPTION	QTY.
DPC-601	24 oz. Disposable Cup/Lid	32
DPC-602	9 oz. Disposable Cup/Lid	32
DPC-600	34 oz. Disposable Cup/Lid	32
DPC-606	24 oz. Reusable Sleeve/Lid	2
DPC-607	9 oz. Reusable Sleeve/Lid	2
DPC-608	34 oz. Reusable Sleeve/Lid	2
DPC-503-K24	3 oz. Vented Disposable Cup/Lid	24

ADAPTERS		
PART NO.	DESCRIPTION	QTY.
DPC-31	Trophy, Compact, JGA, EXL, FLG, SV100, 95-G, Graco® XT	1
DPC-23	Trophy Touch Up, SRI, Cub, Compact Mini	1
DPC-10	SV50 Full Size, Graco Finex, SATA® NR2000, RP, Sata Jet 90 Series 1	1
DPC-11	SATA NR95, Iwata® LPH 400 & W400	1
DPC-77	Graco® AirPro	1
DPC-78	Kremlin, Iwata SuperNova, Iwata Air Guns, LPH300 & W300	1
DPC-500	Converter for 3M adapters	1
DPC-502	SATA Mini Conversion Adapter	1
DPC-501	SATA 3000 / 4000	1
DPC-79-K1	Suction: Trophy Touch-Up, Cub	1
DPC-69-K1	Suction Conversion Adapter	1
DPC-26	Accuspray® Adapter	1

ACCESSORIES		
PART NO.	DESCRIPTION	QTY.
DPC-60-K10	Measuring Guide 9 oz	10
DPC-59-K10	Measuring Guide 24 oz	10
DPC-61-K10	Measuring Guide 34 oz	10
DPC-65-K24	Disk Filters 125 Micron 9 oz.	24
DPC-42-K24	Disk Filters 125 Micron 24 oz. & 34 oz.	24
DPC-67-K24	Disk Filters 200 Micron 9 oz.	24
DPC-66-K24	Disk Filters 200 Micron 24 oz. & 34 oz.	24
DPC-65-K24	Disk Filters 125 Micron 9 oz.	24
DPC-27-K10	Barrel Filter - 200 Micron	10
DPC-17-K10	Barrel Filter - 300 Micron	10
DPC-14-K10	Barrel Filter - 600 Micron	10
DPC-22-K24	Disposable Funnels	24
DPC-6-K10	Orange Plugs	10
DPC-44	Cleaning Brush	1
DPC-8	Cleaning Bottle	1

The DeKups® System is covered by U.S. Patent Nos. 6,820,824 and 7,374,111, owned by 3M Innovative Properties Co., additional U.S. Patent Nos. 7,380,680; 7,354,074; 7,353,964; 7,350,418; 7,344,040; 7,263,893; 7,165,732; 7,086,549.



Finishing Brands – combined expertise spans more than 350 years.

The story of advancement in application technology is the story of our Finishing Group of Brands – DeVilbiss, Ransburg, BGK and Binks. Each brand grew into its own and became leaders in their individual product categories. Today – and collectively – those products share a common heritage of performance excellence and dependability. They also share a common name – Finishing Brands.

Finishing Brands is a unique, integrated provider of total system solutions. Electrostatic and conventional guns, fluid handling equipment, fluid metering, process controls, curing – everything is designed and manufactured to provide customers with finishing solutions with long term value.



BINKS®

A wide variety of spray guns, accessories, high and low pressure material handling pumps, pressure tanks and paint circulating systems.

Sales and Service through our Global Network of Distributors

Finishing Brands Offices

Americas:	USA	Mexico	Brazil
Europe/Asia/Africa:	United Kingdom	France	Germany
Pacific Rim:	China	Japan	Australia

BINKS®

www.binks.com
1.800.99.BINKS

www.finishingbrands.com

